



**BIG+**

PORCELAIN

PLATE

1200X2400MM









APPLICATION: 3BJ2412F26MJ

-   
RESIDENTIAL
-   
FLOOR TILES
-   
WALL TILES
-   
3 FACES DESIGN



3BG2412F26MJ  
1200X2400X8.0mm/48"X96"





**BiG+**  
PORCELAIN PLATE



RESIDENTIAL



FLOOR TILES



WALL TILES



3 FACES DESIGN



3BG2412F27MJ  
1200X2400X8.0mm/48"X96"

APPLICATION: 3BJ2412F27MJ










APPLICATION: 3BJ2412F28MJ

-  RESIDENTIAL
-  FLOOR TILES
-  WALL TILES
-  3 FACES DESIGN



3BG2412F28MJ  
1200X2400X8.0mm/48"X96"





RESIDENTIAL



FLOOR TILES



WALL TILES



1 FACES DESIGN



3BG2412F29MJ  
1200X2400X8.0mm/48"X96"









BJ2412Q01-6  
 1200X2400X8.0mm/48"X96"







RESIDENTIAL




FLOOR TILES



WALL TILES



11 FACES DESIGN



BG2412Q01  
1200X2400X8.0mm/48"X96"





3BG2412Q06  
3BJ2412Q06-6  
1200X2400X8.0mm/48"X96"





APPLICATION: BG2412Q03



APPLICATION: BG2412Q05





APPLICATION: BG2412Q03+BG2412F14J



BG2412Q02  
1200X2400X8.0mm/48"X96"



BG2412Q03  
1200X2400X8.0mm/48"X96"



BG2412Q05  
1200X2400X8.0mm/48"X96"




BG2412F14J  
1200X2400X8.0mm/48"X96"





APPLICATION: BG2412Q12



BG2412Q12  
1200X2400X8.0mm/48"X96"



BG2412Q13  
1200X2400X8.0mm/48"X96"





APPLICATION: BG2412Q13





APPLICATION: BG2412Q16







BG2412Q16  
1200X2400X8.0mm/48"X96"



BG2412R15  
1200X2400X8.0mm/48"X96"























APPLICATION: BG2412R15

## PACKING DETAILS

FOR 1200X2400MM						
PACKING MATERIAL	CARTON PACKING DETAILS					
		Pcs/CTNS 	M <sup>2</sup> /CTNS 	Kg/CTNS 		
		2	5.76	112		
WOODEN CASE		L x W x H 	CTNS / WCS 	M <sup>2</sup> / WCS 	Kg / WCS 	
		2500X750X1450mm	25	144	2800	
		CONTAINER LOADING DETAILS				
	CTNR 	WCS/CTNR 	CTNS/CTNR 	M <sup>2</sup> /CTNR 	KG/CTNR 	Pcs/CTNR 
	20 FT	6	150	864	16800	300
	40 FT	10	240	1382.4	26880	480